

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Fune

VK/02249/S/W


Step Light Led. 3000K. 1W. 88lm. CRI>80. IP67, Silver



IP67



Dimensions



Gallery




Step Light Led

Fune





Model	Power	Beam Angle	Color Temperature	IP Rating	Material
VK/02249/S/W	1W	30°	3000K	IP67	Aluminum
VK/02249/S/W	1W	30°	3000K	IP67	Aluminum
VK/02249/S/W	1W	30°	3000K	IP67	Aluminum
VK/02249/S/W	1W	30°	3000K	IP67	Aluminum
VK/02249/S/W	1W	30°	3000K	IP67	Aluminum
VK/02249/S/W	1W	30°	3000K	IP67	Aluminum

Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	1W
Voltage	12-24V
Fitting	Step Led
Type	Light
Safety class	
IP Rating	IP67
CRI	CRI>80
Dimmable	
Lifetime	20.000hrs
Working temperature	≤55°C
PAGE	310 Decorative 2024
NICKNAME	Fune

Physical Specifications	
Color	Silver
Material	Aluminium
Width	ø3.5cm
Length	7cm
Height	ø3.5cm
Cut out	3.2cm, H 7cm

Illumination Data	
Lumen	88lm
Beam angle	40°
Lighting direction	

Packing Info	
Pcs/carton	100pcs

Certification & Warranty

Guarantee	2 years
-----------	---------

Energy Label

ENERGY

VK LEADING LIGHT
VK/02249/S/W

A
B
C
D
E
F
G

1 kWh/1000h

2019/2015