

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Cape

VK/02286/RB/W

Rust brown. 3000K. 10W. 1.318lm. AC100-227V. LED Lumileds 4014. 112°. 30.000hrs. Dimmable No. -20°C → 45°C. Outdoor wall. CRI>80. Die-casting aluminum+glass. IP65





IP65



Dimensions	Gallery	Downloads


VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	10W
Voltage	AC100-227V
Fitting	Outdoor Wall
Type	Light
Safety class	
Light source	Lumileds 4014
IP Rating	IP65
CRI	CRI>80
Dimmable	
Lifetime	30.000hrs
Clicks	25,000
Working temperature	-20°C-45°C
PAGE	356 New Products 2026
NICKNAME	Cape

Physical Specifications	
Family	Cape
Color	Rust brown
Material	Die-casting aluminum + glass
Width	19.4cm
Length	30cm
Height	4.3cm
Net weight of product (kg)	0.95kg
Gross weight with inner box (kg)	1.13kg
Width (inner box)	6.5cm
Length (inner box)	21.5cm
Height (inner box)	37.5cm

Illumination Data

Lumen	1318lm
Beam angle	112°
Lighting direction	

Packing Info

Pcs/carton	6pcs
------------	------

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label



VK LEADING LIGHT
VK/02286/RB/W

A	▶
B	▶
C	▶
D	▶
E	◀
F	▶
G	▶

10
kWh/1000h



2019/2015