

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Lina

VK/02278/RB/W/30

Rust Brown. 3000K. 6W. 94lm. 180°. AC220-240V. LED Sanan. 50.000hrs.
Dimmable No. -20°C→ 60°C. Outdoor wall. CRI>90. L30cm. Aluminum.
IP54




IP54



Dimensions	Gallery	Downloads

VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	6W
Voltage	AC220-240V
Fitting	Outdoor Wall
Type	Light
Safety class	⚡
Light source	Sanan
IP Rating	IP54
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	10,000
Working temperature	-20°C-60°C
PAGE	358 New Products 2026
NICKNAME	Lina

Physical Specifications	
Family	Lina
Color	Rust brown
Material	Aluminum
Width	5.9cm
Length	30cm
Height	4.7cm
Gross weight with inner box (kg)	0.43kg
Width (inner box)	7cm
Length (inner box)	8.5cm
Height (inner box)	34cm

Illumination Data

Lumen	94lm
Beam angle	180°
Lighting direction	

Packing Info

Pcs/carton	20pcs
------------	-------

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label



ENERGY

VK LEADING LIGHT
VK/02278/RB/W/30

A
B
C
D
E
F
G

6 kWh/1000h

2019/2015